


Secure Rack Solutions



www.server-racks-australia.com.au



COMM Low Density	iPAMM Medium Density	HDC High Density	GCG Low Density	GCG Medium Density	GCG High Density	SCEC Low Density	SCEC Medium Density	SCEC High Density
---------------------	-------------------------	---------------------	--------------------	-----------------------	---------------------	---------------------	------------------------	----------------------

Why Server Racks Australia?

SRA manufacture a range of secure server racks to suit your needs. The range includes SCEC Class C and Class B Racks. Once your order has been placed our professional team will ensure your investment is manufactured to the highest standard and delivered on time.



SIDE PANELS

The SCEC side panels sit flush within the frame and are secured from inside the rack to maximise your security. The flush mounted side panels also allow for a row of racks to be bayed together easily.

FRAMES

All frames in the SRA range are designed and manufactured from 2mm zinc annealed (rust proof coating) steel. The frame is fully welded and load rated to 800kg (static) distributed weight. The top and bottom of each frame has a low profile of 35mm to minimise the overall height.

DOORS

Manufactured using 1.5mm zinc annealed steel. Perforated doors contain the most perforation of any SCEC door, resulting in the ability to dissipate more heat than any other brand of SCEC server cabinet on the market. Each SCEC endorsed door includes a 6mm anti-drill plate and an independent locking mechanism.

A total of six configurations are available. Solid, vented or window doors with Class C or Class B locking mechanisms.

Class B



Class C



CABLE ENTRY & VENTING

4x Large cable entry slots in the top and the bottom of the frame provide easy access to the rack for cabling and power supply. SCEC racks come with cable entry baffles and cable entry covers as standard. Fan trays for the removal of heat can be fitted to the top and bottom if required.




Size			Frame	Side Panel	Doors					
RU	Width (mm)	Depth (mm)			Class C			Class B		
			Vented	Solid	Window	Vented	Solid	Window		
12	600	900	800-251111	800-251327	800-250218-C	800-250217-C	800-250219-C	800-250218	800-250217	800-250219
12	600	1050	800-251114	800-250185						
18	600	900	800-251286	800-251331	800-250257-C	800-250256-C	800-250258-C	800-250257	800-250256	800-250258
18	600	1050	800-251287	800-250600						
24	600	900	800-251288	800-251334	800-250041-C	800-250043-C	800-250042-C	800-250041	800-250043	800-250042
24	600	1050	800-251289	800-250078						
24	600	1200	800-251290	800-250191						
30	600	900	800-251291	800-251335	800-250785-C	800-250784-C	800-250786-C	800-250785	800-250784	800-250786
30	600	1050	800-251292	800-250794						
30	600	1200	800-251293	800-250795						
36	600	900	800-251294	800-251337	800-250718-C	800-250716-C	800-250717-C	800-250718	800-250716	800-250717
36	600	1050	800-251295	800-250797						
36	600	1200	800-251296	800-250798						
39	600	900	800-251371	800-251354	800-250905-C	800-251383-C	800-251384-C	800-250905	800-251383	800-251384
39	600	1050	800-251372	800-251355						
39	600	1200	800-251373	800-251353						
42	600	900	800-251297	800-251339	800-250154-C	800-250155-C	800-250153-C	800-250154	800-250155	800-250153
42	600	1050	800-251298	800-250088						
42	600	1200	800-251299	800-250156						
45	600	900	800-251300	800-251014	800-250143-C	800-250142-C	800-250144-C	800-250143	800-250142	800-250144
45	600	1050	800-251301	800-250082						
45	600	1200	800-251302	800-250148						
48	600	900	800-251374	800-251356	800-251386-C	800-251385-C	800-251387-C	800-251386	800-251385	800-251387
48	600	1050	800-251375	800-251357						
48	600	1200	800-251376	800-251358						
39	800	900	800-251430	800-251354	800-251458-C	800-251457-C	800-251459-C	800-251458	800-251457	800-251459
39	800	1050	800-251431	800-251355						
39	800	1200	800-251432	800-251353						
42	800	900	800-251433	800-251339	800-250245-C	800-250244-C	800-250246-C	800-250245	800-250244	800-250246
42	800	1050	800-251434	800-250088						
42	800	1200	800-251435	800-250156						
45	800	900	800-251436	800-251014	800-250136-C	800-250134-C	800-250135-C	800-250136	800-250134	800-250135
45	800	1050	800-251437	800-250082						
45	800	1200	800-251438	800-250148						
48	800	900	800-251439	800-251356	800-251464-C	800-251463-C	800-251465-C	800-251464	800-251463	800-251465
48	800	1050	800-251440	800-251357						
48	800	1200	800-251441	800-251358						

AVAILABLE COLOURS

Custom sizes are available upon request

SRA racks are available in two standard colours, Grey Nurse and Black. A range of custom colours from the dulux range are available upon request.

 Black
#90132679

 Grey Nurse
#90137543

Upgradability

Server Racks Australia design our racks with your best interests in mind by providing you with the option of upgrading your rack, security or density, if or when you require. This is because of our unique Universal Frame.

Security upgrades

If extra security is required for your server rack it is possible to upgrade your doors and locking mechanisms to government endorsed locking systems (SCEC). This is achieved by upgrading from commercial to government or SCEC (class C or class B) doors and with the addition of secure cable entries. These additions can be made without removing the rack from service.

Cabinet Security/Density Matrix

	Standard Low Density	iPAMM Medium Density	HDC High Density
Commercial			
Government Commercial Grade			
SECURE Class C (SCEC) Class B			

Accessories

- Cable Management
- Powder Distribution Units
- Shelving Solutions
- Blanking Panels
- Fan Trays

A range of accessories are available to suit all rack sizes

For more information please see the accessories brochures or contact our sales department

Server Racks Australia

ABN: 61 079 229 897

4-6 Endurance Avenue

Queanbeyan, NSW, 2620 - Australia

+61 2 6298 1855

+61 2 6297 5503

enquiry@server-racks-australia.com.au

www.server-racks-australia.com.au



Server Racks Australia